

EQUIPMENT DataBase

CIDP AFFILIATES

Mauritius
Romania
India
Brasil



**NATURALLY
INNOVATIVE**





Evaluation Category	Equipment Name	Type/Model	Quantity	Scientific measurement and application
BIOMETROLOGY	Corneometer	CM 825	4	Evaluation of the biometrological properties of the skin, including, hydration, sebum levels, transepidermal water loss, melanin content, skin elasticity, etc.
	Cutometer (Dual)	MPA 580	2	
	Dermal Torque Meter	DTM 310	1	
	Dermatoscope	HEINE DELTA 20 Plus	1	
	Dsquames applicator	NA	1	
	Multi Display Device	MDD4	2	
	Mexameter Probe	MX 18	1	
	Glossymeter	GL200	2	
	SIAscope V	SIAscope V Model Handset Scanner	1	
	pH meter	PH 905, LAQUACT	2	
	Sebumeter (MPA 580)+Sebumeter cassettes	SM815	2	
	Skin Image Analyser	SIA: QuantiRides/QuantiSquam/QuantiSeb	1	
	Tewameter (probe)	TM300	2	
	Sphygmomanometer	OMRON, ACCOSON (mmHg)	2	
Slit lamp	MIC-ST17082886	1		
Electronic Scale	Balance Adam MDW 250L	2		
Electronic Scale TANITA	Body composition analyser BC-420 MA	1		
COLORIMETRY	Chromameter	CR-400	4	Determination of skin color, with parameters such as L*, a*, b, for evaluation of the efficacy of whitening, depigmenting and anti-pigmenting products.
	Spectrocolorimeter	CM-700D	1	
IMAGING	Camera	Nikon D90, Nikon D7000, Nikon D7200	3	Several imaging techniques, including HD images, 3D images, Ultraviolet, Cross and Parallel polarized light, and ultrasound imaging for studies requiring illustrative and scientific photography for further analysis
	Photo Bench	HeadsCan V02	1	
	VISIOSCAN	VC98-USB	1	
	Colorface	Newtone	1	
	Vidéomicroscope	Micro-scopeman MS-500C	1	
	Cutaneous Ultrasound	DERMASCAN C USB	1	
	PRIMOS Lite	45 x 30mm	1	
VISIA	CR	1		
PHOTOBIOLOGY	Waldmann lamp	WALDMANN UV lamp 180 UV	1	UV induced pigmentation on the skin to evaluate the anti-pigmenting and depigmenting effect of investigational products
	ORIEL Solar Simulator 1000W	SOL-UV-4 1000W_SN101	1	
	ORIEL Solar Simulator 1600W	GOUV 92292 - 1600W_SN114	1	
	UVB Lamp	Lampe Vilber Lourmat VL-215 M (UVB-312nm)	1	
POLLUTION EXPOSURE SYSTEM	Ozone Generator	LAB110202, SN 9513	1	Anti-Pollution claim studies, for example: cleansing products, products with a barrier effect, Ozone, etc.
	Particulate Matter Aerosol generato	Model: ARG VAG 1 & VAG-2CB SN: 2853884 + 101157	1	
	PES Control Unit	-	1	
	Gravimetric sampler	NA	1	
	Thermal mass Flowmeters	TSI® series 4000/4130, Model 4199, SN: 41401730009	1	
BLUE -LIGHT EXPOSURE SYSTEM	CIDP blue light Monochromatic LED prototype	NA	6	Anti-ageing and blue-light effect claim studies.
	Revive Light Therapy	Revive Acne Light Therapy™ Handheld System.	1	
ENVIRONMENTAL CONDITIONS CONTROL	Evalux Table	NA	1	Specific environmental conditions are required for different types of studies, including temperature and humidity and light conditions, all of which are controlled and recorded.
	Daylight system	TLL1200	2	
	Day light system	MEDILUX	2	
	Luxmeter	Q411284	1	
	Wood's lamp	DHLL404M / DHL 109M	2	
	Dehumidifiers	CD007IU-T1	13	
	Freezer (-20°C and -80°C)	Freezer MDF, Freezer LIEBGEX	2	
	Refrigerator (2-8°C)	200L 300L	1	
Thermohyrometer	175-H1 and 175-H2, Saveris	20		
LABORATORY TOOLS	Pipette Eppendorf	Eppendorf	8	Accessories such as analytical scales and pipettes and other laboratory equipment for investigational products and sample
	Electronic Scale	Sartorius Balance - SECURA SEMI-MICRO 120	1	
	Analytical scale	Balance (Mettler Toledo) JL602-G, Sartorius, Acculab	3	
	Clinspin	642E	1	



Evaluation Category	Equipment Name	Type/Model	Quantity	Scientific measurement and application
BIOMETROLOGY	CORNEOMETER	CORNEOMETER CM 825	1	Evaluation of the biometrological properties of the skin, including, hydration, sebum levels, transepidermal water loss, melanin content, skin elasticity, etc.
	CUTOMETER	CUTOMETER DUAL MPA 580	2	
	SEBUMETER	SEBUMETER SM 815	1	
	D'SQUAME	NA	1	
	Tewameter	TM300	1	
	pH meter	PH 905	1	
	Body composition analysis scale	BC-601	1	
	Dermal Torque Meter	DTM 310 DIA-STRON	1	
	Primos Lite	Lite 45x30	1	
	Tensiometer	BP3AC1-1PC, DM347, LR06 Alkali Mangan	3	
COLORIMETRY	Chromameter	CR-400	6	Determination of skin color, with parameters such as L*, a*, b, for evaluation of the efficacy of whitening, depigmenting and anti-pigmenting products.
IMAGING	Digital Camera	Nikon D90, Nikon D7000, Nikon D7200, Canon PowerShot S200, Canon PowerShot SX610HS;	5	Several imaging techniques, including HD images, 3D images, Ultraviolet, Cross and Parallel polarized light for studies requiring illustrative and scientific photography for further analysis
	DSLR lenses	AF-S NIKKOR 18-105mm 1:3.5-5.6G ED; AF-S MICRO NIKKOR 60mm 1:2.8G ED; Sigma 17-50mm f/2.8 DC EX HSM OS Nikon#06**1	3	
	Studio Flashes	RX600(will be sent for repair),BRX500	3 pairs	
	Photo Bench	NA, 784-02 FACE	2	
	Docking station Foto Finder + Camera Foto Finder	MC 800, Medicam 800 HD	1	
	VISIA CR	Visia CR-Canfield 2.3	1	
PHOTOBIOLOGY	Solar Simulator Multiport	2- Multiport Model 601, 3-Multiport Model SPF 601-300 v2.5	6	Evaluation of the erythema and pigmentation response produced <i>in vivo</i> , as well as depigmentation properties of products or estimated UVA factors <i>in vitro</i> .
	Solar Simulator Oriel	ORIEL 92292-1000	2	
	Quadrant Homogeneity sensor	PMA2174	1	
	Radiometer	PMA2100 Solar Light Co.	9	
	WOOD's Lamp	DHL 109 M Waldmann, DHL 204 UM Waldmann	3	
	SunCool	CPS+	1	
	SUNTEST	CPS+	1	
	SUNTRAY	FOR SUNTEST CPS/CPS+	1	
	UV TRANSMITTANCE ANALYZER	UV-2000S	1	
	STARTER KIT	UV 2000	1	
DRYING OVEN/HOT AIR STERILIZER	BINDER ED23	1		
ENVIRONMENTAL CONDITIONS CONTROL	ThermoHygrometer	Testo 175 H2, 174H, 175T3, 174T, 175T2	32	Specific environmental conditions are required for different types of studies, including temperature and humidity and light conditions, all of which are controlled and recorded.
	Refrigerator	LCV 4010 MEDLINE/LIEBHERR	1	
	Freezer	LAB11/EL 19LT	1	
	Daylight system	4 pairs-TLL1200, 1-Medilux 4HF	9	
	TDS meter	TDS 3	1	
	Anemometer	MINIAIR64 MINI	1	
	Humidifier	PURLYNE HYDRO 6E, WD B 450, Airsano 7000 Hir	16	
	Dehumidifier	TTK 50 S	6	
	Evaluation Table	Evalux	1	
	Luxmeter	T-10A	1	
Bath Tub	Villeroy and Boch	3		
LABORATORY TOOLS	Analytic Balance	XA 220, AS 220/C/2, PS 1500/X, WPT 100/200 OW, AS 220.R2, PS 1500/X	9	Accessories such as analytical scales and pipettes and other laboratory equipment for investigational products and sample
	Microman Micropipette M100	Microman	15	
	Eppendorf Multipettes plus	Eppendorf	14	
	RAININ MICROPIPETTE	RAININ	1	
	Chronometer	FB70232, 2890, EDT 4002, KOCH DIGITAL TIMER	50	



CIDP India



Evaluation Category	Equipment Name	Type/Model	Quantity	Scientific measurement and application
BIOMETROLOGY	Corneometer	CM 825	2	Evaluation of the biometrological properties of the skin, including, hydration, sebum levels, transepidermal water loss, melanin content, skin elasticity, etc.
	Glossy-meter Probe	GL200	1	
	Sebumeter®	SM 815	1	
	Multi Probe Adaptor with Sebumeter Probe	MPA 6	1	
	Sphygmomanometer	HEM-7111	2	
	Stature Meter (Height Measuring Scale)	210cm (6.8 feet)	2	
	Sthethoscope	N/A	2	
	Syringe/Needle Incinerator	SND-001	1	
	pH Meter	LAQUAact-PH120	1	
	Cutometer	MPA 580	1	
	Tewameter	TM300	1	
	Mexameter probe	MX 18	1	
	Weighing Scale	Equinox EB6171, EB series (IND/09/07/351)	2	
COLORIMETRY	Chromameter	CR-400	1	Determination of skin color, with parameters such as L*, a*, b, for evaluation of the efficacy of whitening, depigmenting and anti-pigmenting products.
	Spectrophotometer	CM2600d	2	
IMAGING	Camera	Nikon Digital Camera D90	1	Several imaging techniques, including HD images, 3D images, Ultraviolet, Cross and Parallel polarized light for studies requiring illustrative and scientific photography for further analysis
	Photo bench	N/A	1	
	VISIA CR	VISIA CR 2.2	2	
	PRIMOS 3D	LITE 18 X 13 mm	1	
	Dermatoscope	HEINE DELTA 20 Plus	1	
ANTERA 3D	ANTERA 3D	1		
PHOTOBIOLOGY	-	-	-	-
ENVIRONMENTAL CONDITIONS CONTROL	Deep freezer	CF200	1	Specific environmental conditions are required for different types of studies, including temperature and humidity and light conditions, all of which are controlled and recorded.
	Refrigerator	FKG 110, FKG320	2	
	ThermoHygrometer	Testo-175 H2, Testo-174 H	5 + 8	
	Thermometer	Vital Digital Thermometer	1	
	Thermometer	Dual Scale	2	
	Light Stand	N/A	4	
	Daylight system	TLL 1200 series	4	
	Luxmeter	LX-101A	1	
	WOOD's Lamp	NA	1	
	Luminaire	TLL 1200 series	4	
LABORATORY TOOLS	Analytical Balance	BSA 224S-CW , ME802	2	Accessories such as analytical scales and pipettes and other laboratory equipment for investigational products and sample
	Hand Lens	Maginifying Glass with Light	1	
	Digital Vernier Calliper (0-150mm)	N/A	1	
	Digital Vernier Calliper (0-200mm)	N/A	1	
	Micro-Pipette	10-100µl	1	
	Multipipette	50µl-1ml	2	
	Finnpipette Stepper	4540(10 µl- 5 ml)	1	
	Magnetic stirrer with hot plate	NA	1	



CIDP Brasil



Evaluation Category	Equipment Name	Type/Model	Quantity	Scientific measurement and application
BIOMETROLOGY	Corneometer	CM825	1	Evaluation of the biometrological properties of the skin, including, hydration, sebum levels, transepidermal water loss, melanin content, skin elasticity, etc.
	Mexameter	MX18	1	
	Sebumeter	SM815	1	
	Cutometer MPA	MPA 580	1	
	Tewameter probe (rented)	TM300	1	
	Tewameter probe	TM 330T	1	
	Stethoscopes	Premium	1	
	pH Meter	PH 905 probe	1	
	Sphygmomanometer	Premium	2	
	Balance	Glass 8	1	
COLORIMETRY	Chromameter	CR-400	1	Determination of skin color, with parameters such as L*, a*, b, for evaluation of the efficacy of whitening, depigmenting and anti-pigmenting products.
IMAGING	Digital Camera	Nikon D70, Nikon D7000	2	Several imaging techniques, including HD images, 3D images, Ultraviolet, Cross and Parallel polarized light for studies requiring illustrative and scientific photography for further analysis
	ColorFace (Newtone)	24 megapixel camera, cloud Connection	1	
	Nikon Close-up Speedlight	R1C1	1	
	Thermographic Camera (ThermoCam)	FLIR C2	1	
PHOTOBIOLOGY	SkinCam (rented)	NA	4	SkinCam is a mobile camera that allows 2D images acquisition, in several modalities of light, skin areas of the face or body, as well as the generation of 3D images of the skin relief.
ENVIRONMENTAL CONDITIONS CONTROL	Day Light system	TLL1200	4	Specific environmental conditions are required for different types of studies, including temperature and humidity and light conditions, all of which are controlled and recorded.
	Dehumidifier	160, D4, 250	6	
	Refrigerator	RC220D	1	
	Hairdye	Fire Fox	4	
	Flat Iron	BABNT2091TBR	3	
	Thermohygrometer	174H	9	
	Ambient condition sensor	RHT 100	2	
	Wood Lamp	NA	1	
LABORATORY TOOLS	Analytical scale	ARC2140, ARA520	2	Accessories such as analytical scales and pipettes and other laboratory equipment for investigational products and sample
	Standard weight	F1	1	
	Micropipette	M100, M1000	3	
	Chronometer	NA	6	